




Monday, February 7, 2011

New dark-halo craters in Alphonsus



Over the coming weeks, in anticipation of the 42nd Lunar & Planetary Science Conference, we are again this year highlighting some of the announced presentations related to lunar science:



Familiar nearside landmark 121km Alphonsus, near 13.4°S, 357.2°E. LROC Wide Angle monochrome (643nm) mosaic composed from images swept up by the LROC Wide Angle Camera in four successive orbital flyovers on February 4, 2010. Most of what is known of small pyroclastic vents and their association with the dark mantling material surrounding them comes from study of this crater, well-placed for study from Earth on the Moon's central meridian. Recently analysis of recent high-resolution data has uncovered at least two previously unrecognized vents in the floor of Alphonsus [NASA/GSFC/Arizona State University].

ALPHONSUS DARK-HALO CRATERS: IDENTIFICATION OF ADDITIONAL VOLCANIC VENTS, #2691.

Gaddis, et al. Astrogeology Science Center, U. S. Geological Survey; Northern Arizona University; Cornell University; University of Hawaii;
Intergraph Corporation

Overview: Dark-halo craters located along fractures in the floor of Alphonsus crater (108 km dia.; ~13°S/357°E) are considered type localities of small lunar pyroclastic deposits based on association of dark mantling material with likely cone-shaped source vents. Much of our understanding of the physical processes involved in smaller pyroclastic eruptions on the Moon comes from morphometric analyses of deposit volumes in Alphonsus crater performed by Head and Wilson [1]. These authors

Wednesday, October 7, 2020
21:44:19 UTC


LRO - ARTEMIS

[LRO @ GSFC](#)
[Where is LRO?](#)
[LRO RTVTK](#)
[LROC](#)
[LROC Featured Sites](#)
[LROC Quickmap](#)
[LROC WMS](#)
[LROC Lunaserv](#)
[CRaTER Radio](#)
[CRaTER](#)
[DIVINER](#)
[LAMP/SwRI/GSFC](#)
[LRO/LAMP SOC](#)
[LEND](#)
[LOLA](#)
[Mini-RF](#)
[PDS LRO Node](#)

[ARTEMIS](#)
[USGS Lunar Web Mapping Application](#)
[USGS Map-a-Planet-Moon](#)
[GRAIL @ PDS](#)
[GRAIL MoonKAM](#)
[LADEE](#)
[LCROSS ARC](#)


[Charles A. Wood's LPOD](#)
[Lunar Picture of the Day](#)
[The Moon Wiki](#)
[MoonZoo](#)
[MyMoon Blog](#)
[Lunar Mapping and Modeling Portal \(LMMP\)](#)
[Next Generation Lunar Scientists and Engineers](#)

[Return to the Moon](#)
[Dr. Harrison H. Schmitt](#)
[British Columbia Institute of Technology](#)



used high-resolution photographs and topographic maps to map the distribution and measure volumes of materials in the pyroclastic cones. They identified juvenile materials in all but one of the “dark halo” crater deposits. This study presents evidence for at least two previously unrecognized vents in the floor of Alphonsus crater. Results suggest that many such features and associated pyroclastic deposits are likely to be identified with the wealth of new lunar remote sensing data [e.g., 2, 3, 4].

Geologic Setting: Alphonsus is a Lower Imbrian-age crater located in the highlands east of the Upper Imbrian-age Mare Nubium [5]. The crater has a -flat, cratered floor, a central peak, and a broad rim (Figure 1). Numerous linear rilles dissect the crater floor and dark-halo craters are located along and adjacent to the rilles, suggesting that the fractures provided preferential pathways for dike emplacement, volatile accumulation and subsequent pyroclastic eruption. Eleven dark-halo craters were mapped previously within Alphonsus [1]; ten of these are located within 25 km of the basin rim. These dark halo craters are characterized by non-circular rims.



LPSC XLII (2011) 2691 Figure 1. Alphonsus crater and the locations of major floor fractures (green), Eleven dark-halo craters identified previously by Hawk & Wilson (1979) and two newly identified vents. Kaguya Terrain Camera evening mosaic [JAXA/SELENE].

Analysis: Because of their iron-rich compositions, the volcanic deposits within the floor of Alphonsus crater are highlighted as bright in FeO maps derived from Clementine UVVIS data [10]. Examination of these data (Figure 2) reveals obvious iron-rich materials in association with the 11 previously recognized vents, but at least two additional sites are also highlighted (arrows). To examine these sites in more detail, we used data from the Lunar Reconnaissance Orbiter (LROC) Narrow Angle Cameras (NAC) [2; ~0.5 m/p] and the JAXA SELENE/Kaguya Terrain Camera [3; ~10 m/p].


Cislunar Space Next
The Space Review

Search Lunar Pioneer

2013-2022 Decadal Survey

Blog Archive

- 2017 (1)
- 2016 (13)
- 2015 (44)
- 2014 (125)
- 2013 (288)
- 2012 (443)
- ▼ 2011 (298)
 - December (22)
 - November (26)
 - October (22)
 - September (39)
 - August (21)
 - July (28)
 - June (19)
 - May (25)
 - April (22)
 - March (28)




LPSC XLII (2011) 2691 Figure 2. Alphonsus crater viewed by Kaguya Terrain Camera evening mosaic with superimposed false-color Clementine derived iron-oxide (Lucey, et al., 2000). Yellow tones show enhanced iron content, arrows mark the sites of two possible newly identified pyroclastic deposits [JAXA/SELENE/NASA/DOD/USGS].


The northeastern feature is centered on a group of irregular depressions (Figure 3a) located along a rille NW of Ravi cone [1], a previously recognized pyroclastic deposit. The northeastern deposit has a moderate albedo, extends ~4 km across, and has occasional darker portions that drape and mantle the margins of the host depressions (Figure 4). The east-central deposit (Figure 3b) is centered on a small depression west of deposit 6 of [1], has an even higher albedo, and extends ~2 km across. Both possible vent depressions straddle linear rilles. These characteristics resemble those of other nearby deposits and support a pyroclastic origin for these features.

Summary: Two possible newly identified pyroclastic deposits have been recognized in the floor of Alphonsus crater. The moderate albedo of these deposits and their small size likely precluded earlier identification. New high-resolution image data [2, 3] allow more detailed analysis of the lunar surface and will likely support identification of many such features [e.g., 4]. These results suggest that pyroclastic deposits are likely to be even more widespread than previously recognized [e.g., 8, 9].

- ▼ February (30)
 - Vision statements for non-Visionaries
 - The Moon's metallic water
 - Fragmented Impact Melt
 - Mounds in a melt pond
 - Dark streaks in Diophantus crater
 - High-speed lunar navigation for crewed and remotel...
 - LROC: Morphometry of lunar volcanic domes
 - Nearside Spectacular!
 - LROC: Sinuous Chain of Depressions
 - New pyroclasts identified using LROC data
 - India hopes to join JPL MoonRise mission to SPA
 - Striated blocks in Aristarchus crater
 - LROC: Farside northern highlands
 - Arizona State's LROC contract extended
 - Silicic volcanism on the Moon
 - Surveyor 7
 - LROC Rimae Bürg
 - LROC: Rima Bradley
 - LROC: Rupes Recta
 - Simulated view of the Tranquility Pit
 - Sublunarean Void
 - The Spectral Properties of Ina
 - New dark-halo craters in Alphonsus
 - 42nd Lunar and Planetary Science Conference (2011)...
 - New View of Apollo 14: 40th Anniversary
 - Journey to the Center of the Moon
 - Mendeleev in Full
 - Inside Catena Mendeleev
 - Farside Stratified Ejecta Blocks
 - Students study lunar samples
- January (16)
- 2010 (482)
- 2009 (1290)



LPSC XVII (2011) 2691 Figure 3. Possible newly identified "dark halo" deposits (blue) in (a.) northeastern and (b.) eastern floor of Alphonsus crater. Both are near previously recognized deposits (yellow). Box in (a.) marks location of Figure 4 view. Views from the Kaguya Terrain Camera evening mosaic at same scale; north is up [JAXA/SELENE].




LPSC XLII (2011) Figure 4. From LROC NAC frame M111613281L, 0.54 m/p, 30 degree inc., showing dark, drapey deposits along the margin of an irregular depression associated with the possible newly identified "dark halo" deposits in the northeastern floor of Alphonsus crater. North is up, view is ~20 meters across [NASA/GSFC/Arizona State University].

References: [1] Head and Wilson (1979) PLPSC 10th, 2861. [2] Robinson et al., 2010, Space Sci. Rev, 150, 81-124. [3] Haruyama et al., 2008, Adv. Sp. Res. 42, 310-316. [4] Gustafson et al., 2011, this volume. [5] Hawke et al., 1989, PLPSC 19th, 255. [6] Head and Wilson, 1989, JVGR 37, 261-271. [7] Coombs et al., 1990. PLPSC. 20th, 339. [8] Gaddis et al., 2000, JGR, 105, 4245. [9] Gaddis et al., 2003, Icarus 161, 262. [10] Lucey et al., 2000, JGR 105, 20,297.

- 2008 (572)
- 2007 (10)
- 2006 (1)

Congratulations LCROSS



Off-World News CLOUD

- AMSAT News
- Aero-News Network
- Ambrose Liao
- AmericaSpace
- Anatoly Zak:Russian Space Web
- Apollo Archive
- Artificial Intellegency
- AstroPhoto
- AstroSpaceNow
- Astroblog
- Astrocast.TV
- Astroengine.com
- Astronaut for Hire
- Astronomy Cast
- Astronomy Education Review
- Astronomy Online
- Astronomy Today
- Astronomy Weather Blog
- AstronomyFM
- Astrophysics Spectator
- Astropixie
- Astrowright
- Aviation Week OnSpace
- Avventure Planetarie (Paolo Amoroso)
- BEHIND THE BLACK
- Bad Astronomy
- Ben Cooper: Launch Photography

Posted by Joel Raupe at 7:07 PM



Labels: Alphonsus, dark halo, LPSC XLII, Pyroclastic

No comments:

[Post a Comment](#)

[Newer Post](#)

[Home](#)

[Older Post](#)

[Subscribe to: Post Comments \(Atom\)](#)

[Beyond Apollo - David S. F. Portree](#)

[Beyond Moon and Mars](#)

[Black Holes & Stuff](#)

[Black Holes and Astro Stuff](#)

[Cabeus Prospector](#)

[CollectSPACE](#)

[Cosmic Variance](#)

[CosmicLog \(Alan Boyle\)](#)

[Daily Galaxy](#)

[Discovery Enterprise](#)

[Discovery Space](#)

[Encyclopedia Astronautica](#)

[Flame Trench \(Florida Today\)](#)

[Flight Global HYPERBOLA](#)

[Fourmilog](#)

[GeoChristian](#)

[Hitchhiker's Guide to the Moon](#)

[Hobby Space](#)

[Icarus](#)

[Inside The Apollo Project](#)

[International Planetary Cartography Database](#)

[KAGUYA \(SELENE-1\)](#)

[Ken's Lunar Library](#)

[Larry Russell Kellogg](#)

[Lights in the Dark](#)

[Luna C/I](#)

[Lunar Observing Forum](#)

[Lunar Update](#)

[Lunarpedia](#)

[Mike Brown's Planets](#)

[Moon Daily](#)

[Moon Miners Manifesto](#)

[Moon Poster](#)

[Moon Society](#)

[Moon Today](#)

[MoonConnection.com](#)

[Moonandback / Moon](#)

[NASASpaceFlight.com](#)

[NEQNET](#)

National Space Society Blog
New Space Journal
Next Big Future
Nightpixels
OnORBIT
Orbital News Releases
Our Night Sky with Tavi Greiner
Out of the Cradle
PARABOLIC ARC
PARS3C
PHYSORG
Parallel Spirals - Pradeep Mohandas
Personal Spaceflight
Plasma Wind
Portal to the Universe
Primezone Media
Project Galileo
RIA Novosi (Science)
Rocket Racing League
Rocketforge.org
Satellite Today
Science Blog
Sciencedude
Scientific Blogging
Selenian Boondocks
Selenology Today
Six Millennium Catalog of Phases of the Moon
Sky & Telescope
SkyGuy
Skymania
Space Age Publishing Company
Space Blogger (Space Daily)
Space Buff
Space Calendar
Space Coalition Blog
Space Collective
Space Fellowship
Space Flight Now
Space Jockey

Space Law Probe
Space Lifestyle Magazine
Space News
Space Policy Online
Space Politics
Space Pragmatism
Space Prizes
Space Resource World
Space Review
Space Spin
Space Travel
Space Ventures
Space Weather
Space and Astronautics News
Space-Industry
Space.com
Space4Commerce
SpacePoliceOnline.com
SpaceRef
SpaceVidCast.com
SpaceX Press
Spacecrazed
Spacefacts
Spaceflight Realtime Simulations
Spacenews
Spacephysicist.com
Spaceports
Spaceworks Software
Stargazer's Lounge
Technorati
Techspedia
The Launch Pad (GLXP Blog)
The Space Show
The Space Times
The Wright Stuff (Orlando Sentinel)
Today in Astronomy
Transrestrial Musings
U.S. Naval Observatory
Uncle Rod's Astro Blog

Unigalactic - Space Travel Magazine
Universe Today
Unmanned Spaceflight Forum
Vintage Space
WikiSky
Xinhua
Zarya-Luna (Robert Christy)
annakhtoniv
escienccenews
spacetoday.net
Луна (Astronominsk)

Lunar Exploration at the
National Space Science
Data Center (NSSDC)

Enter your email address:

Subscribe

Delivered by FeedBurner



[Get the code by ABS](#)

